



US00D903800S

(12) **United States Design Patent**
Guo

(10) **Patent No.:** **US D903,800 S**
(45) **Date of Patent:** **** Dec. 1, 2020**

(54) **ROLLER SHOE**

(71) Applicant: **Shanxi Jinze Yinhai Technology Co., Ltd.**, Taiyuan (CN)

(72) Inventor: **Xupe Guo**, Lvliang (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/738,506**

(22) Filed: **Jun. 18, 2020**

(51) **LOC (12) Cl.** **21-02**

(52) **U.S. Cl.**
USPC **D21/763; D2/904**

(58) **Field of Classification Search**
USPC D2/896, 902, 904, 905, 907, 946;
D21/760, 763, 764, 771; 280/841, 11.14,
280/11.16, 11.19, 11.226, 11.231, 11.25,
280/809, 811, 11.202
CPC A63B 5/00; A63B 5/16; A63B 5/1608;
A63B 5/1616; A63B 5/1625; A63B
5/1633; A63B 5/1641; A63B 5/165; A63B
5/1658; A63B 5/1666; A63B 5/1675;
A63B 5/1683; A63B 5/1691; A63C
17/18; A63C 17/20; A63C 17/22; A63C
17/223; A63C 17/226; A63C 17/00; A63C
17/0006

See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

3,339,936 A * 9/1967 Hamlin A63C 17/1409
280/11.207
3,738,673 A * 6/1973 Iseman A63C 17/22
280/11.28
3,843,146 A * 10/1974 Hiraki A63C 17/02
280/11.209
D236,741 S * 9/1975 Smith D21/764
D237,991 S * 12/1975 Famolare D21/763
3,968,973 A * 7/1976 McCormack A63C 17/1436
280/11.209
D241,868 S * 10/1976 Smith D21/764

4,070,029 A * 1/1978 Panarelli A63C 17/02
280/11.19
4,146,241 A * 3/1979 Stevenson A63C 17/02
280/11.27
D258,605 S * 3/1981 Sanders D21/763
4,294,455 A * 10/1981 Krueger A63C 17/02
280/11.19
4,298,910 A * 11/1981 Price A43B 3/0005
280/11.19
4,328,627 A * 5/1982 Sanders A43B 5/1658
280/11.209
D265,115 S * 6/1982 Dornseif D21/763
D269,222 S * 6/1983 Olivieri D2/904
D282,095 S * 1/1986 Robjent D21/763

(Continued)

Primary Examiner — Elizabeth J Oswecki
(74) *Attorney, Agent, or Firm* — HYIP

(57) **CLAIM**

The ornamental design for a roller shoe, as shown and described.

DESCRIPTION

FIG. 1 is a first perspective view of a roller shoe showing my new design, with the wheels in an unfolded and used position;
FIG. 2 is a second perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a back view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof;
FIG. 7 is a top view thereof;
FIG. 8 is a bottom view thereof;
FIG. 9 is another perspective view thereof, with the wheels in a folded and unused position; and,
FIG. 10 is another perspective view of FIG. 9.
The broken lines shown in the drawings depict portions of the roller shoe in which the design is embodied that form no part of the claimed design.

1 Claim, 10 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10