



US009661909B2

(12) **United States Patent**
Brunett

(10) **Patent No.:** **US 9,661,909 B2**
(45) **Date of Patent:** **May 30, 2017**

(54) **FACIAL HAIR SHAPING TOOL**

(71) Applicant: **Michael Neil Brunett**, Melbourne, FL (US)

(72) Inventor: **Michael Neil Brunett**, Melbourne, FL (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **15/200,888**

(22) Filed: **Jul. 1, 2016**

(65) **Prior Publication Data**

US 2016/0309876 A1 Oct. 27, 2016

Related U.S. Application Data

(63) Continuation of application No. 15/139,452, filed on Apr. 27, 2016, now abandoned, which is a continuation of application No. 14/928,118, filed on Oct. 30, 2015.

(60) Provisional application No. 62/122,918, filed on Nov. 3, 2014.

(51) **Int. Cl.**
A45D 24/34 (2006.01)
A45D 24/36 (2006.01)
A45D 27/42 (2006.01)
A45D 24/02 (2006.01)
A45D 24/42 (2006.01)

(52) **U.S. Cl.**
CPC **A45D 24/36** (2013.01); **A45D 24/02** (2013.01); **A45D 27/42** (2013.01); **A45D 24/42** (2013.01)

(58) **Field of Classification Search**
CPC **A45D 24/36**; **A45D 24/34**; **A45D 27/42**; **A45D 27/00**; **A45D 44/00**; **A45D 24/42**
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,615,408	A *	1/1927	Scott		A45D 24/36	132/126
3,407,823	A *	10/1968	Selvaggio		A45D 24/36	132/214
4,502,232	A *	3/1985	Broders		A47G 27/0487	33/479
5,329,946	A *	7/1994	Guma		A45D 27/00	132/213.1
D384,297	S *	9/1997	Paynes		D10/64	
7,252,094	B2 *	8/2007	Maynard		A45D 24/36	132/214
D589,648	S *	3/2009	Bakus		D10/71	
7,559,331	B2 *	7/2009	Ward		A45D 24/36	132/214
2007/0261709	A1 *	11/2007	Bakus		A45D 44/00	132/214

(Continued)

Primary Examiner — Robyn Doan
(74) *Attorney, Agent, or Firm* — Jason T. Daniel, P.A.;
Daniel Law Offices, P.A.

(57) **ABSTRACT**

A facial hair shaping tool includes a unitary and generally L-shaped main body having a shape that is designed to contour to the face of an adult human. The main body includes a front surface, a back surface, a top end, an elongated planar first side, an elongated bottom end, a truncated second side and a curvilinear central section that extends from the second side to the top end. The main body is constructed from a unitary mold of injected plastic having a longitudinal edge along the bottom end. A plurality of spaced apart combing teeth are cantileveredly mounted to the longitudinal edge at a perpendicular orientation to the longitudinal axis of the tool.

12 Claims, 5 Drawing Sheets




FIG. 1





FIG. 2






FIG. 3B




FIG. 3A




FIG. 4




FIG. 5




FIG. 6